



IFPA

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of.:

Yitzhak WEISSMAN

Serial No.: 10/542,552

Filed: July 18, 2005

For: STEREOSCOPIC DISPLAY
APPARATUS PARTICULARLY...

Examiner: Emmanuel Hailemariam

§
§
§
§
§
§
§
§
§
§
§

Group Art Unit: 2629

Attorney Docket: 29811

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT TRANSMITTAL

Sir:

- (1) Applicant is a:
 X small entity
 other than small entity

- (2) The fee for claims 37 C.F.R. §1.16(b)-(d) has been calculated as shown below:

| For | Claims after Amendment | Highest Claims Previously Paid |
|---------------|---------------------------|-----------------------------------|
| Total Claims | 21 | 15 |
| Indep. Claims | 1 | 2 |


| Small Entity | |
|---------------|-----------------|
| Rate | Fee |
| 1 x \$ 25 | \$ 25.00 |
| 0 x \$105 | \$ 0.00 |
| TOTAL: | \$ 25.00 |

OR
OR
OR

| Other Than Small Entity | |
|----------------------------|----------------|
| Rate | Fee |
| XX x \$ 50 | \$ 0.00 |
| XX x \$210 | \$ 0.00 |
| TOTAL: | \$ 0.00 |

- (3) A response to the Office Action dated July 26, 2007 X is filed herewith
 has been filed
- (4) Please charge the additional claim fee and any other amount required to Deposit Account No. **50-1407**. A duplicate copy of this form is enclosed.

Respectfully submitted,


Martin D. Moynihan
Registration No. 40,338

Date: October 22, 2007



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit: 2629

Attorney Docket: **29811**

Attorney Docket: 29811

Group Art Unit: 2629

Attorney Docket: 29811

Attorney Docket: 29811

AMENDMENT

This is in response to the United States Patent and Trademark Office Action mailed July 26, 2007, which response is being made on or before October 26, 2007, and for which no extension of time fees are due.

Applicant submits this response for entry into the record, in which:

Amendments to the specification start on Page 2

Amendments to the claims start on Page 4

Remarks start on Page 8

Please amend the above-identified application as follows: